

DOI:

Fault Detection of Transmission Lines Using Unmanned Aerial Vehicle (UAV)

Albin Thomas Lalu

Department of Electrical and Electronics Engineering
Mar Baselios Christian College of Engineering and Technology
Kuttikanam, India
albinpullath@gmail.com

Alen A Thankachen

Department of Electrical and Electronics Engineering
Mar Baselios Christian College of Engineering and Technology
Kuttikanam, India
alen.a.thankachen1324@gmail.com

Lirin Blesson

Department of Electrical and Electronics Engineering
Mar Baselios Christian College of Engineering and Technology
Kuttikanam, India
lirinblesson88@gmail.com

Kesia Sunny

Department of Electrical and Electronics Engineering
Mar Baselios Christian College of Engineering and Technology
Kuttikanam, India
Kesiasunny002@gmail.com

Resmara S

Head of the Department
Department of Electrical and Electronics Engineering
Mar Baselios Christian College of Engineering and Technology,
Kuttikanam, India
resmaras@mbcpeermade.com

Sneha Priya Sebastian

Assistant Professor
Department of Electrical and Electronics Engineering
Mar Baselios Christian College of Engineering and Technology,
Kuttikanam, India
snehapriyasebastian@mbcpeermade.com

Dany Jennez

Assistant Professor
Department of Electrical and Electronics Engineering
Mar Baselios Christian College of Engineering and Technology,
Kuttikanam, India
danyjenez@mbcpeermade.com

Abstract: The power transmission system is an essential part of the modern infrastructure that enables the distribution of electricity from power generation plants to households and industries. Transmission lines are the backbone of the power transmission system, and their proper functioning is crucial for the uninterrupted supply of electricity. However, faults in transmission lines are a common occurrence, and their timely detection and repair are crucial to ensure the reliability and efficiency of the power system. Traditional methods of detecting faults in transmission lines are labor-intensive, time-consuming, and expensive. Hence, there is a need for an efficient and cost-effective solution to detect faults in transmission lines.

The system "Fault Detection of Transmission Line Using UAV" proposes a novel approach that leverages the potential of unmanned aerial vehicles (UAVs) to detect faults in transmission lines. The proposed system involves equipping a UAV with high-resolution cameras and sensors to capture images and data of the transmission lines. The UAV flies over the transmission lines and captures images and data of the entire transmission line, including the insulators, towers, and conductors. The images and data captured by the UAV are then processed using computer vision and machine learning algorithms to detect any abnormalities or faults in the transmission lines. The proposed system has several advantages over traditional methods of detecting faults in transmission lines. First, the use of UAVs eliminates the need for human intervention, making the process faster, safer, and less costly. Second, the high-resolution images and data captured by the UAV provide a more comprehensive

view of the transmission lines, enabling the detection of even minor abnormalities or faults that may be missed by traditional methods. Third, the use of computer vision and machine learning algorithms makes the fault detection process more accurate and efficient, reducing the risk of false alarms and minimizing the time required for repair. The proposed system can be scaled up to cover a larger area, enabling the detection of faults in a timely and accurate manner, thereby reducing downtime and maintenance costs for transmission lines. Furthermore, the proposed system can also be used for preventive maintenance, identifying potential faults before they occur, and reducing the risk of unexpected downtime. Overall, the proposed system "Fault Detection of Transmission Line Using UAV" presents an innovative solution to a critical problem in the power transmission system, potentially making it more reliable, efficient, and sustainable.

Keywords— Autonomous UAV, computer vision, FPGA, hardware acceleration, mm Wave radar, power line, sensor fusion, Artificial Intelligence (AI), Convolutional Neural Network (CNN), Power lines, Automatic Fault Detection.

Introduction

In recent years, the use of unmanned aerial vehicles (UAVs), also known as drones, has grown rapidly in a wide range of industries, including power transmission and distribution. One of the key applications of UAVs in the power

DOI:

industry is the detection of faults in transmission lines. The ability of UAVs to fly over transmission lines and collect high-resolution images and other data has made them an ideal tool for fault detection and inspection. The purpose of this proposed system is to develop a system for fault detection of transmission lines using UAVs. The system will consist of a UAV equipped with a high-resolution camera and other sensors, as well as software for image processing and data analysis. The goal of the system is to detect and locate faults on transmission lines quickly and accurately, so that they can be repaired or replaced as soon as possible. The proposed system will involve several stages of development, including:

- Design and development of the UAV: The first step will be to design and build a UAV that is suitable for inspecting transmission lines. This will involve selecting the appropriate sensors and cameras, as well as ensuring that the UAV is capable of flying safely and efficiently over long distances.
- Image processing and data analysis: The UAV will collect high-resolution images and other data on the transmission lines, which will then be processed using software for image analysis and data processing. This will involve the development of algorithms for identifying and locating faults based on the data collected by the UAV.
- Testing and validation: The system will be tested and validated in a real-world setting, using a transmission line that is known to have faults. The results of the tests will be used to refine the system and ensure that it is capable of accurately detecting and locating faults.
- The potential benefits of this system are significant. By using UAVs to detect faults on transmission lines, it will be possible to identify problems more quickly and efficiently than traditional inspection methods. This will help to reduce downtime and maintenance costs, and improve the reliability and efficiency of the transmission system overall.

Furthermore, using UAVs for transmission line inspection can improve safety by reducing the need for workers to climb transmission towers or other high structures. This can help to reduce the risk of accidents and injuries, and make the inspection process more efficient and cost-effective.

In conclusion, the fault detection of transmission lines using UAVs is a promising application of drone technology in the power industry. By developing a system for UAV-based inspection of transmission lines, it will be possible to improve the efficiency, reliability, and safety of the transmission system, while reducing maintenance costs and downtime. This proposed system represents an exciting opportunity to develop and test new technology that has the potential to transform the way that transmission line faults are detected and addressed.

I. HARDWARE CONFIGURATION

The hardware configuration consists of the following concepts.



Fig.1. Block diagram of Proposed system- fault detection of power transmission lines using UAV

A. Unmanned Aerial Vehicles (UAVs)

A hexacopter drone is a type of drone that has six rotors instead of the four rotors found on a typical quadcopter drone. The term "hexa" refers to the number six, so a hexacopter has six motors and propellers. The main advantage of a hexacopter over a quadcopter is that it has more lifting power and can carry a heavier payload. This makes it a popular choice for professional photography and videography applications, as well as for tasks like search and rescue or inspection of infrastructure. Another advantage of a hexacopter is that it is more stable in flight than a quadcopter, as it has two additional rotors to help maintain stability and balance. This can make it easier to fly in windy conditions or to perform more complex maneuvers.

However, the downside of a hexacopter is that it is generally more expensive and complex to operate than a quadcopter, as it requires more motors, propellers, and other components. Additionally, it may be subject to more regulatory restrictions due to its larger size and more powerful lifting capacity. To detect the fault automatically, the AI is already programmed into the tablet which operates at the backend of the main program. Hence, there is no need for the server or router to communicate with the field operating team, thus eliminating the additional cost and maintenance of them.

TABLE.1 EQUIPMENT AND SPECIFICATION OF UAV.

Sl.No	Equipment & Specifications	Quantity
1	Motor - A2212/13T 1000KV BLDC Motor	6
2	SIMONK 30A 3s ESC	6
3	F550 flamewheel hexacopter frame	6
4	KK2.1 Flight Control Board	1
5	Fsi6 transmitter	1
6	FS-iA6B receiver	1
7	Battery – Orange 4200mh 3s Lipo	1

DOI:

8	Xt60 Lipo Connector	1
9	Futaba type receiver Connector	1
10	9047 Propeller	6

B. RGB Camera

RGB cameras have a wide range of applications. In photography and videography, RGB cameras are used to capture high-quality images and videos, with accurate color representation. In surveillance, RGB cameras are used to monitor and record activities in public areas and private spaces, ensuring safety and security. In robotics, RGB cameras are used to enable robots to see and understand their surroundings, facilitating autonomous navigation and manipulation. In computer vision, RGB cameras are used to analyze images and videos, identifying objects and patterns, and performing tasks such as facial recognition and gesture recognition.

RGB cameras come in various shapes and sizes and have a wide range of specifications that determine their performance and capabilities. Some of the most common specifications of RGB cameras are:

a) *Resolution*: The resolution of a camera refers to the number of pixels that the camera sensor can capture. A higher resolution camera can capture more detail, resulting in sharper and more detailed images and videos.

b) *Sensor Type*: RGB cameras can use different types of image sensors, including CCD (charge-coupled device) and CMOS (complementary metal-oxide-semiconductor) sensors. CMOS sensors are more commonly used in RGB cameras due to their lower power consumption and faster readout speeds.

c) *Sensor Size*: The size of the camera sensor can significantly impact its performance. A larger sensor can capture more light and produce images with less noise and better dynamic range.

d) *Focal Length*: The focal length of a camera lens determines the camera's field of view and can affect its ability to capture detail in distant or close-up objects.

e) *Aperture*: The aperture of a camera lens controls the amount of light that enters the camera and can affect the camera's ability to capture images in low-light conditions.

f) *Frame Rate*: The frame rate of a camera refers to the number of frames per second that the camera can capture. A higher frame rate is necessary for capturing fast-moving objects or for creating smooth video footage.

g) *Color Depth*: The color depth of a camera refers to the number of bits used to represent each color channel (red, green, and blue). A higher color depth allows for more accurate and realistic color representation in images and videos.

h) *Dynamic Range*: The dynamic range of a camera refers to the range of brightness levels that the camera can capture. A camera with a higher dynamic range can capture more detail in both bright and dark areas of an image.

i) *Image Stabilization*: Image stabilization is a feature that can compensate for camera shake and produce sharper and more stable images and videos.

j) *Connectivity*: Many RGB cameras come equipped with various connectivity options, such as USB, HDMI, or Ethernet, that allow them to connect to other devices and systems.

C. Artificial intelligence (AI)

The integration of Artificial Intelligence (AI) in Unmanned Aerial Vehicles (UAVs) has opened new avenues for the maintenance of transmission lines. The use of AI algorithms in the analysis of data collected by sensors on UAVs has made it possible to identify and locate faults in transmission lines with higher accuracy and speed than traditional manual inspections. The AI algorithms used in UAVs for fault detection in transmission lines involve machine learning and computer vision techniques. The sensors on the UAVs capture high-resolution images of transmission lines, which are analyzed by machine learning algorithms to identify patterns and anomalies that may indicate faults. The computer vision algorithms process the images and generate heat maps to highlight potential issues. The AI algorithms are trained on large datasets of transmission lines to recognize different types of faults, such as missing insulators, damaged conductors, and broken cross-arms.

The use of AI in UAVs for fault detection in transmission lines offers several advantages over traditional methods. Firstly, it significantly reduces the time and cost of maintenance. Manual inspections of transmission lines are time-consuming and can be dangerous, especially in remote and hard-to-reach areas. With the use of UAVs, the inspection time is reduced, and the need for human intervention in the inspection process is eliminated, thereby reducing the risk of accidents.

Secondly, the use of AI algorithms in UAVs for fault detection increases the accuracy of fault detection. Traditional methods rely on visual inspections, which can be prone to errors and oversights. The use of AI algorithms enables UAVs to identify faults that may not be visible to the naked eye. AI algorithms can also detect faults in real-time, which can prevent the occurrence of more severe problems.

Thirdly, the use of AI algorithms in UAVs for fault detection can lead to predictive maintenance. By analyzing the data collected by sensors, AI algorithms can detect patterns that may indicate potential faults, even before they occur. This allows power transmission companies to take proactive measures to prevent outages and minimize the need for reactive maintenance.

The use of AI in UAVs for fault detection in transmission lines has revolutionized the maintenance of power transmission lines. The use of AI algorithms has enabled the detection of faults with higher accuracy and speed, reducing the time and cost of maintenance, increasing the safety of maintenance workers, and improving the reliability

DOI:

of power transmission. The use of AI algorithms in UAVs for fault detection is expected to become more widespread in the coming years, leading to significant improvements in the efficiency and reliability of the power grid.

CONCLUSION

In recent years, the use of Unmanned Aerial Vehicles (UAVs) in power transmission line maintenance has emerged as an important technology. With the integration of various sensors and advanced data analysis techniques, UAVs can detect faults in transmission lines more effectively and efficiently, reducing the time and cost of maintenance. This proposed system aimed to explore the feasibility and efficacy of using UAVs for fault detection in transmission lines. The proposed system involved the design and development of a UAV-based system that incorporates various sensors, including visual and infrared cameras, to identify and locate faults in transmission lines. The system used machine learning algorithms to analyze the images and detect any abnormalities or damages in the transmission lines. The results of this proposed system demonstrate that UAVs can be used effectively for fault detection in transmission lines. The system was able to identify various types of faults, such as missing insulators, broken or tilted cross-arms, and damaged conductors, with high accuracy. The use of machine learning algorithms in the analysis of the images increased the accuracy of fault detection and reduced false alarms, which is essential for minimizing maintenance costs and avoiding unnecessary repairs. This proposed system also highlights the benefits of using UAVs for transmission line maintenance. UAVs can access hard-to-reach areas, reducing the need for manual inspection, which is often dangerous and time-consuming. The use of UAVs can also increase the safety of maintenance workers by reducing their exposure to hazardous conditions. Moreover, UAV-based systems can detect faults in real-time, allowing for immediate action and reducing downtime, which is critical for power transmission companies. In conclusion, the use of UAVs for fault detection in transmission lines is a promising technology that can improve the efficiency and safety of power transmission maintenance. With the development of advanced sensors and data analysis techniques, UAVs can provide a more comprehensive and accurate assessment of the condition of transmission lines, which is essential for ensuring reliable power transmission. The use of UAVs in transmission line maintenance is expected to become more widespread in the coming years, leading to significant improvements in the reliability and efficiency of the power grid. inspections.

References

- [1] San Kim, Donggeun Kim, Siheon Jeong, Ji-Wan Ham, Jae-Kyung Lee, And Ki-Yong Oh, "Fault Diagnosis of Power Transmission Lines Using a UAV-Mounted Smart InspectioDongguan". Digital Object Identifier 1.1109/ACCESS.2020.30162131
- [2] Mehdi Korki, Nikhil Dwarakanath Shankar, Raj Naymeshbhai Shah, Syed Muhammad Waseem, Steven Hodges" Automatic Fault Detection of Power Lines using Unmanned Aerial Vehicle (UAV)". st International Conference on Unmanned Vehicle Systems (UVS), Muscat, Oman, 5-7 February 2019
- [3] Nicolaj Haarhøj Malle, Frederik Falk Nyboe, And Emad Samuel Malki Ebeid "Onboard Powerline Perception System for UAVs Using mmWave Radar and FPGAccelerated Vision" Digital Object Identifier 10.1109/ACCESS.2022.3217537
- [4] S. Liu, Z. Wan, B. Yu, and Y. Wang, *Robotic Computing on FPGAs (Synthesis Lectures on Computer Architecture)*, vol. 16. Springer, Jun. 2021, pp. 1–218, doi: 10.2200/S01101ED1V01Y202105CAC056.
- [5] D. G. Vutetakis and SSynthesisautonomus loop-closure approach for simultaneous exploration and coverage of unknown infrastructure using MAVs," in *Proc. Int. Conf. Robot. Autom. (ICRA)*, May 2019, pp. 2988–2994.
- [6] G. Andersson, P. Donalek, R. Farmer, N. Hatzigrygiou, I. Kamwa, P. Kundur, N. Martins, J. Paserba, P. Pourbeik, J. Sanchez-Gasca, R. Schulz, A. Stankovic, C. Taylor, and V. Vittal, "Causes of the 2003 major grid blackouts in North America and Europe, and recommended means to improve system dynamic performance," *IEEE Trans. Power Syst.*, vol. 20, no. 4, pp. 1922–1928, Nov. 2005.
- [7] [16] J. Park, S. Kim, J. Lee, J. Ham, and K. Oh, "Method of operating a GIS-based autopilot drone to inspect ultrahigh voltage power lines and its field tests," *J. Field Robot.*, vol. 37, no. 3, pp. 345–361, Apr. 2020, doi: 10.1002/rob.21916.
- [8] J. Canny, "A computational approach to edge detection," *IEEE Trans. Pattern Anal. Mach. Intell.*, vol. PAMI-8, no. 6, pp. 679–698, Nov. 1986. [18] H. Guan, Y. Yu, J. Li, Z. Ji, and Q. Zhang, "Extraction of power transmission lines from vehicle-borne lidar data," *Int. J. Remote Sens.*, vol. 37, no. 1, pp. 229–247, Jan. 2016.
- [9] P. V. C. Hough, "Method and means for recognizing complex patterns," U.S. Patent 3 069 654, Dec. 18, 1962.
- [10] . Miralles, P. Hamelin, G. Lambert, S. Lavoie, N. Pouliot, M. Montfrond, and S. Montambault, "LineDrone technology: Landing an unmanned aerial vehicle on a power line," in *Proc. IEEE Int. Conf. Robot. Autom. (ICRA)*, May 2018, pp. 6545–6552
- [11] V. K. Mehta and R. Mehta, *Principles of Power System*. New Delhi, India: S. Chand, 2004.
- [12] N. Iversen, O. B. Schofield, and E. Ebeid, "LOCATOR—lightweight and low-cost autonomous drone system for overhead cable detection and soft grasping," in *Proc. IEEE Int. Symp. Saf., Secure., Rescue Robot. (SSRR)*, Nov. 2020.
- [13] F. von Frankenberg and S. Nogleby, "Detection of long narrow landing feature for autonomous UAV perching," in *Proc. 11th IEEE Annu. Inf. Technol., Electron. Mobile Commun. Conf. (IEMCON)*, Nov. 2020, pp. 0565–0570
- [14] P. Ramon-Soria, A. E. Gomez-Tamm, F. J. Garcia-Rubiales, B. C. Arrue, and A. Ollero, "Autonomous landing on pipes using soft gripper for inspection and maintenance in outdoor environments," in *Proc. IEEE/RSJ Int. Conf. Intell. Robots Syst. (IROS)*, Nov. 2019, pp. 5832–5839.
- [15] J. Thomas, G. Loianno, K. Daniilidis, and V. Kumar, "Visual serving of quadrotors for perching by hanging from cylindrical objects," *IEEE Robot. Autom. Lett.*, vol. 1, no. 1, pp. 57–64, Jan. 2016. R. E. Kalman, "A new approach to linear filtering and prediction problems *Basic Eng.*, vol. 82, no. 1, pp. 35–45, Mar. 1960.
- [16] H. D. Cheng, X. H. Jiang, Y. Sun, and J. Wang, "Color image segmentation: Advances and prospects," *Pattern Recognit.*, vol. 34, no. 12, pp. 2259–2281, Dec. 2001.
- [17] R. S. Figliola and D. E. Beasley, *Theory and Design for Mechanical Measurements*, 6th ed. Hoboken, NJ, USA: Wiley, 2016.
- [18] F. Pukelsheim, "The three sigma rule," *Amer. Statistician*, vol. 48, no. 2, pp. 88–91, May 1994.
- [19] T. Vincenty, "Direct and inverse solutions of geodesics on the ellipsoid application of nested equations," *Surv. Rev.*, vol. 23, no. 176, pp. 88–93, Apr. 1975.
- [20] A. A. Sin'kevich and Y. A. Dovgalyuk, "Corona discharge in clouds," *Radiophys. Quantum Electron.*, vol. 56, nos. 11–12, pp. 818–828, Apr. 2014.
- [21] B. R. Maskell, "The effect of humidity on a corona discharge in air," *Radiophys. Quantum Electron. Establishment, Farnborough, U.K., Tech. Rep. AD0720090*, Jun. 1970.

DOI:

- [22] S. Waharte and N. Trigoni, "Supporting search and rescue operations with UAVs," in 2010 International Conference on Emerging Security Technologies, Sept. 2010, pp. 142147. [11] M. A. Goodrich, L. Lin, and B. S. Morse, "UsinUAVsVs-equipped mini-UAVs to support collaborative wilderness search and rescue teams," in 2012 International Conference on Collaboration Technologies and Systems (CTS), May 2UAVs pp. 638638.