

Sand Battery Technology: A Promising Solution for Renewable Energy Storage

Aiman Shahul

Department of Electrical and Electronics Engineering
Mar Baselios Christian College of Engineering & Technology
Kuttikanam, India
aimanshahul01@gmail.com

Eldhose KV

Department of Electrical & Electronics Engineering
Mar Baselios Christian College of Engineering & Technology
Kuttikanam, India
eldhosekv55@gmail.com

Dany Jennez

Assistant Professor
Department of Electrical & Electronics Engineering
Mar Baselios Christian College of Engineering & Technology
Kuttikanam, India
danyjenez@mbcpeermade.com

Pavithra.L

Department of Electrical & Electronics Engineering
Mar Baselios Christian College of Engineering & Technology
Kuttikanam, India
pavithrashiva2000@gmail.com

Thasni S

Assistant Professor
Department of Electrical & Electronics Engineering
Mar Baselios Christian College of Engineering & Technology
Kuttikanam, India
thasnis@mbcpeermade.com

Resmara S

HOD
Department of Electrical & Electronics Engineering
Mar Baselios Christian College of Engineering & Technology
Kuttikanam, India
resmaras@mbcpeermade.com

Abstract— As the world moves towards a more sustainable future, there is an increasing need for efficient and cost-effective energy storage solutions to support renewable energy sources. Sand battery technology has emerged as a promising solution for this purpose. Sand is abundant, inexpensive, and readily available, making it an attractive material for energy storage applications. In addition, the unique properties of sand, such as its high thermal conductivity and low thermal expansion, make it an ideal material for use in energy storage systems.

This paper provides an overview of sand battery technology, including the materials used, the fabrication process, and the performance characteristics. It also discusses the advantages and challenges of sand batteries, as well as their potential applications. Furthermore, the paper highlights recent advances in the field of sand battery technology, and discusses the future directions for research and development. A heat sand battery is a type of battery that uses sand as a thermal energy storage medium. It is designed to store

thermal energy from a concentrated solar power plant and convert it into electricity as needed. The heat sand battery is based on the concept of the thermoelectric effect, which is the conversion of temperature differences into electric voltage and vice versa.

Keywords— *Grid, supercapacitors, electrodes, thermoelectric generator*

1. Introduction

Sand battery technology utilizes the unique properties of sand to store and release energy. Sand is an abundant, inexpensive, and readily available material, making it an attractive option for energy storage applications. Moreover, sand is non-toxic and poses no environmental hazards, making it an ideal material for use in energy storage systems. Sand batteries work by using sand-based electrodes to store and release energy. These thermal devices can be used for a range of applications, from small-scale residential systems to large-

scale grid-level storage. In addition, sand batteries have the potential to offer high energy density, long cycle life, and improved safety, as compared to traditional battery technologies.

Overall, sand battery technology holds great promise for renewable energy storage, and has the potential to play a critical role in the transition to a more sustainable energy future.

I. LITERATURE REVIEW

[1] The authors highlight the importance of energy storage for renewable energy systems, and the potential of sand as a low-cost, abundant, and environmentally friendly energy storage material. The review covers different aspects of sand-based energy storage systems, including the properties of sand as a storage material, the various types of sand-based storage devices, and the recent developments and future prospects in this field. The authors also compare sand-based energy storage systems with other existing energy storage technologies, highlighting the advantages and limitations of each technology. The paper highlights the potential of sand-based energy storage systems for large-scale grid applications due to their low cost and high energy density. The authors also emphasize the importance of understanding the thermal properties of sand and its behavior during the charging and discharging cycles. Overall, the review paper provides valuable insights into the potential of sand as an energy storage material, and the current state of research in this field. The paper highlights the need for further research to optimize the performance of sand-based energy storage systems, and to develop practical applications for this promising technology. [2] The purpose of the review was to provide an overview of the current state of research on sand-based electrodes for energy storage, with a focus on their electrochemical properties, fabrication methods, and potential applications. The authors began by introducing the concept of energy storage and the importance of developing new electrode materials to meet the increasing demand for energy storage devices. They then discussed the advantages of using sand as an electrode material, including its abundance, low cost, and high conductivity.

The authors discussed the fabrication methods for each type of electrode and the advantages and disadvantages of each method. In addition, the review discussed the electrochemical properties of sand-

based electrodes, including their specific capacitance, cycle stability, and rate capability. The authors also highlighted the potential applications of sand-based electrodes in supercapacitors, lithium-ion batteries, and other energy storage devices. Overall, the review provides a comprehensive summary of the current state of research on sand-based electrodes for energy storage. It is a useful resource for researchers and engineers who are interested in developing new electrode materials for energy storage applications. [3] The purpose of the review was to provide an overview of the challenges and opportunities associated with using sand-based energy storage systems. The authors began by introducing the concept of energy storage and the importance of developing new energy storage systems to meet the increasing demand for renewable energy. The review covered various types of sand-based energy storage systems, including pumped hydro storage, compressed air energy storage, and thermal energy storage. The authors discussed the advantages and disadvantages of each type of system, as well as the challenges associated with their implementation. The authors also discussed the use of sand as a thermal energy storage medium. They reviewed various types of sand-based thermal energy storage systems, including packed bed, fluidized bed, and latent heat storage systems. The authors discussed the advantages and disadvantages of each type of system, as well as the challenges associated with their implementation. Also, the review highlighted the potential opportunities for sand-based energy storage systems in the future. The authors discussed the potential for sand-based energy storage systems to improve the reliability and efficiency of renewable energy sources. [4] The purpose of the review was to provide a comprehensive overview of sand-based energy storage technologies, including their principles, characteristics, and recent advances. The authors began by introducing the importance of energy storage in the context of the increasing demand for renewable energy sources. The review covered various types of sand-based energy storage technologies, including thermal energy storage, mechanical energy storage, and electrochemical energy storage. The authors discussed the principles of each type of technology, as well as the advantages and disadvantages of using sand as a storage medium. The authors also discussed recent advances in sand-based energy storage technologies, such as the development of new materials and fabrication methods. They reviewed various types of sand-based

energy storage systems, including packed bed thermal energy storage, gravity-assisted thermal energy storage, and sand-based super capacitors. The review highlighted the potential applications of sand-based energy storage technologies in various fields, such as the transportation sector and grid-scale energy storage. The authors also discussed the challenges and opportunities associated with the commercialization and deployment of sand-based energy storage technologies. In [5] the purpose of the review was to provide an overview of recent progress in sand-based energy storage devices, including their design, fabrication, and performance. The authors began by introducing the concept of energy storage and the increasing demand for renewable energy storage solutions. The review covered various types of sand-based energy storage devices, including super capacitors, lithium-ion batteries, and sodium-ion batteries. The authors discussed the design and fabrication methods for each type of device, as well as the advantages and disadvantages of using sand as an electrode material. The authors also discussed recent progress in the performance of sand-based energy storage devices, including improvements in energy density, power density, and cycle stability. They reviewed various types of sand-based energy storage devices, including silica-based supercapacitors, sand-template lithium-ion batteries, and carbon-coated sand sodium-ion batteries. Additionally, the review highlighted the potential applications of sand-based energy storage devices in various fields, such as portable electronics, electric vehicles, and grid-scale energy storage. The authors also discussed the challenges associated with the commercialization and deployment of sand-based energy storage devices. In [6] Sand batteries are a relatively new technology that has the potential to revolutionize the energy storage industry. The concept of sand batteries is based on the idea of using sand as a low-cost and abundant material for energy storage. Maintaining the Integrity of the Specifications.

A heat sand battery is an energy storage system that uses sand as the storage medium and stores thermal energy in it. Heat sand batteries are a promising energy storage technology that can store large amounts of thermal energy at low cost and high efficiency. They can be used in various applications, including grid-scale energy storage, industrial processes, and space heating.

Clark discusses the potential of sand batteries as a disruptive technology in the energy storage industry, highlighting their potential

advantages over existing technologies such as lithium-ion batteries. He suggests that sand batteries could be cheaper, more environmentally friendly, and have a longer lifespan than current battery technologies. In [7] the book covers a wide range of topics related to energy storage, including batteries, supercapacitors, flywheels, compressed air, pumped hydro, and thermal storage. It specifically discusses the use of sand as a low-cost and abundant material for energy storage. The article explains the concept of a sand battery, which uses sand as both an electrode and an electrolyte, and discusses its potential advantages, including its low cost, high energy density, and environmental friendliness. The article provides a detailed analysis of the performance characteristics of sand batteries, including their voltage, capacity, and cycle life. The authors also discuss the challenges associated with the development of sand batteries, such as the need for improved conductivity and the development of suitable electrode materials. Overall, the article on sand batteries provides a valuable overview of this promising technology.

II. MATERIALS REQUIRED

Sand: The sand is the storage medium in the battery, and it should have high thermal conductivity, low thermal mass, and be able to withstand high temperatures.

Thermoelectric generators: It is used to convert the thermal energy in sand to electric energy

Electrodes/Heating coil: The electrodes are used to transfer the thermal energy between the sand and the thermoelectric generator during the charging and discharging processes. The electrodes are typically made of materials such as graphite or metal foils.

Insulation: The insulation is used to reduce heat loss from the battery during the charging and discharging processes, improving the overall efficiency of the system.

Heat source: A heat source is required to charge the battery and heat the sand to a high temperature. The heat source can be solar, waste heat from an industrial process, or any other renewable or non-renewable thermal energy source.

Container: The container holds the sand, thermoelectric generator, and electrodes in place and is designed to withstand high temperatures and thermal stresses.

III. METHODOLOGY

Design: The design of the heat storage sand battery depends on the application and performance requirements. The size, shape, and materials of the container, electrodes, and insulation are determined based on the amount of thermal energy to be stored and the duration of storage.

Selection of materials: The materials, such as sand, thermoelectric generator, electrodes, and insulation, are selected based on their thermal conductivity, thermal mass, melting and freezing temperatures, and durability. The thermoelectric generators are selected based on their phase-change temperature and energy storage capacity.

Charging: The sand is heated to a high temperature using a heat source such as concentrated solar power (CSP), excess wind energy, waste heat from an industrial process. During this process the thermal energy is absorbed and stored in the sand.

Discharging: When the thermal energy is needed, the thermoelectric generator releases the stored energy and the released energy is used to generate electricity, power industrial processes, or provide space heating.

Monitoring and control: The heat storage sand battery is monitored and controlled to ensure the efficient and safe operation of the system. The temperature, pressure, and other parameters are continuously monitored and controlled using sensors and control systems.

Maintenance and repair: The heat storage sand battery requires regular maintenance and repair to ensure its long-term performance and safety. The sand may need to be replaced periodically, and the container and electrodes may require repair or replacement if damaged.

IV. WORKING

HOW THE SAND BATTERY WORKS




Fig1: Working of sand battery

- The electricity is generated by wind turbines or solar panels.
- 30% of the energy is used as straight away to power local infrastructure.
- The remaining 70% is stored in the battery, heating the sand battery up to 600-1000 deg C.
- The stored energy can be used when solar energy is weaker.

Charging and Discharging

- **Charging process**
 1. Heat is transferred to the sand and to store thermal energy.
 2. Sand temperature increases until a threshold is reached, at which the energy is fully stored.
 3. Charging times can vary depending on the type of sand battery and the temperature of heat source.
- **Discharging Process**
 1. When thermal energy is needed, the sand is exposed to a heat sink or other device that can extract the heat.
 2. The temperature of the sand drops and the stored energy is released as heat.

3. Discharging times can vary depending on the type of sand battery and the temperature of heat sink.
- A. Types of sand batteries
1. Indirect Heat -Storing Sand Batteries
 - ✧ Use a heat transfer fluid to transfer heat to and from the sand.
 - ✧ Can operate at higher temperatures than other types of sand batteries.
 - ✧ Require a large physical footprint.
 2. Direct Heat - Storing Sand Batteries
 - ✧ Sand in direct contact with the heat source and heat sink.
 - ✧ Typically operate at lower temperatures than indirect sand turbines.
 - ✧ Can be more compact in size.
 3. Thermochemical Heat -Storing Sand Batteries
 - ✧ Use chemical reactions to store and release heat.
 - ✧ Can store more energy than other types of sand batteries.
 - ✧ Typically have longer charging and discharging times.
 4. Hybrid Heat - Storing Batteries
 - ✧ Combine features of direct and indirect sand batteries.
 - ✧ Can provide higher energy density and faster charging and discharging times than other types of sand batteries.

VI .APPLICATIONS

- Renewable Energy Storage
 - ✧ Can store excess energy from renewable sources such as solar and wind power
 - ✧ Can help to balance the intermittent nature of renewable sources,allowing for a more reliable power supply
 - ✧ Can provide a cost effective alternative.
- Heating and Cooling
 - ✧ Can be used to store thermal energy for heating and cooling applications in buildings and homes
 - ✧ More efficient and sustainable heating and cooling solution.
- Industrial Applications
 - ✧ Can be used in industrial processes that require high temperature heat storage such as metal processing and chemical production
 - ✧ Can provide a more efficient and cost effective alternative to traditional heat storage systems.
- Emergency Backup Power
 - ✧ Can provide a reliable source of backup power in the event of power outage.

- ✧ Can help to ensure that critical facilities such as hospitals and data centers remain operational during emergencies.

V. CHALLENGES

- Efficiency and Cost

The efficiency of the heat storing sand batteries can be affected by a range of factors,including the materialsa used,the design of the battery and the operating conditions.
- Operating Temperature Range

The performance of the battery can be affected by the operating temperature range.
- Scale up and Integration

The successful deployment of heat storing sand batteries will require the ability to scale up the technology to commercial scale and integrate it with existing energy infrastructure
- Environmental Impact

VI. Acknowledgment

The project could not have been completed without the efforts and cooperation of all our team members. This work has been a very exciting part of our learning, which can be very helpful in our future work. We would like to express our sincere gratitude to our mentor Ms Thasni Salim, Assistant Professor, MBC CET with her guidance and constant support of the important suggestions given to us during our work, thus providing us with all the information needed to design and develop our project. We also thank you for the special encouragement and help that we would not need anything without it. Knowledge itself is an ongoing process and acquiring practical information is an important factor in development.

VII.References

- [1] G. Eason, B. Noble, and I.N. Sneddon, "*On certain integrals of Lipschitz-Hankel type involving products of Bessel functions,*" Phil. Trans. Roy. Soc. London, vol. A247, pp. 529-551, April 1955. (references)
- [2] J. Clerk Maxwell, A *Treatise on Electricity and Magnetism*, 3rd ed., vol. 2. Oxford: Clarendon, 1892, pp.68-73.
- [3] I.S. Jacobs and C.P. Bean, "*Fine particles, thin films and exchange anisotropy,*" in Magnetism, vol. III, G.T. Rado and H. Suhl, Eds. New York: Academic, 1963, pp. 271-350.

- [4] K. Elissa, "*Title of paper if known*," unpublished.
- [5] R. Nicole, "Title of paper with only first word capitalized," J. Name Stand. Abbrev., in press.
- [6] Y. Yorozu, M. Hirano, K. Oka, and Y. Tagawa, "*Electron spectroscopy studies on magneto-optical media and plastic substrate interface*,"
- [7] OUMAIMA TAKI; KHALIL SAADAOU; KAOUTAR SENHAJI RHAZI; YOUSSEF MEJDOUB, "**STIRLING ENGINE AND SOLAR ENERGY**"
- [8]IEEE Transl. J. Magn. Japan, vol. 2, pp. 740-741, August 1987 [Digests 9th Annual Conf. Magnetics Japan, p. 301, 1982].
M. Young, *The Technical Writer's Handbook*. Mill Valley, CA: University Science, 1989.